MEDEN INMED
PROFESSIONAL MEDICAL ENGINEERING



Hydrotherapy

2026/2027

Contains products of:

Technomex
MEDEN GROUP

This catalogue contains information on, among other things, medical devices that should be handled by qualified medical personnel and used in accordance with the instructions for use or the label.

CONTENTS

Hydrotherapy 3

Hydromassage tubs

Magellan 4
Almagro 5
Toledo 6
T-UWM / E 7
T-UWM 8
T-MP UWM AUTOMAT 9

Balneological tubs

T-MP DISCOVERY 10
T-MP 11

Excercise tubs

T-MOT 12

Whirlpools

CASTILLO 13
1114 14
1115 15
KOLUMB 16
PIZZARO 17
1117 18

Four-chamber tubs

TASMAN 19

Other

CORDOBA 20
T-ALTER 21
T-AGRE 22
T-NP 23

Accessories 24

Hydrotherapy

Thanks to the physical and chemical properties of water it is possible to help patients after injuries or surgeries, as well as those with numerous diseases of the musculoskeletal, nervous, and cardiovascular systems.

Advantages of water:

- decreases pain
- enhances muscle strength and flexibility
- alleviates joint pressure and improves range of motion
- reduces stress and tension
- improves circulation and promotes better blood flow
- increases the overall immunity of the body
- promotes relaxation and improves sleep quality
- provides safe and low-impact environment for exercise and rehabilitation
- aids in weight loss and management





Magellan

Multifunctional hydrotherapy bath

Magellan tub is designed especially for automatic underwater massage, combined with pearl bath. 7" touch screen panel provides easy operation and preview of therapy parameters. Rich options allow adjusting this tub to specific customer requirements. Automatic features of multiple systems do not require the presence of staff during the treatment.

Technical features:

- automatic underwater massage: 34 jets - 5 sections (feet, ankles, knees, hips and spine)
- pearl bath system: 14x5 jets (air massage)
- 7" touch screen control panel:
  - ability to create and store therapeutic programs (100)
  - switch on/off the required nozzle sections
  - ability to set the sequence and time separately for each jets section,
  - electronically controlled automatic water filling and drainage
  - automatic set of required water level
  - protection against water overflow
  - automatic switch off after treatment time
  - pump "dry-working" protection
  - overload, failure and phase sequence change protection
- high-quality pump that provides sufficiently high water pressure during the treatment
- innovative no-spout filling system
- hand shower
- foot support with 3-point adjustment
- side handrails
- leveling and height adjusting feet
- stair to assist in getting into the tub
- cleaning liquid (1l)





PARAMETERS:

Width: 950 mm

Length: 2200 mm

Height: 980 mm

400V, 50Hz (option 60 hz)

Volume: 220 l

OPTION:	
Chromotherapy system	+
Chemical disinfection system	+
Hose for underwater massage with 3 interchangeable option nozzles	+
Aromatherapy system option	+
System of keeping temperature / heating up the water int the tub	+
Electromagnetic water softener	+

Almagro

Underwater massage tub

Almagro tub is designed to perform precise underwater massage. The procedure can be performed manually using a hose with interchangeable nozzles (smooth pressure regulation in range 0-5,5 bar). The parameters are controlled with the touch screen control panel.

Technical features:

- hose for underwater massage with 3 interchangeable nozzles
- 3,5 touch screen control panel:
  - electronically controlled automatic water filling and drainage
  - automatic set of required water level
  - protection against water overflow
  - automatic switch off after treatment time
  - pump “dry-working” protection
  - overload, failure and phase sequence change protection
- high-quality pump that provides sufficiently high water pressure during the treatment
- innovative no-spout filling system
- hand shower
- side handrails
- leveling and heigh adjusting feet
- stair to assist in getting into the tub
- cleaning liquid (1l)





PARAMETERS:

Width: 580 mm

Length: 1080 mm

Height: 1080 mm

400V, 50Hz
(option 60 hz)

Volume: 220 l

OPTION:	
Automatic underwater massage: 8 side jets	+
Automatic underwater massage: 6 spine jets	+
Pearl bath system - 14x5 jets	+
Chemical disinfection system	+
Aromatherapy system	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+

Toledo

Underwater massage & electrotherapy bathtub

Bathtub Toledo is used for electrotherapy bath and underwater massage. The touch screen control panel allows to set the time of procedure, type of current, direction of its flow and active applicators. TOLEDO can generate galvanic, diadynamic and Faradic current. Electrodes placed on the walls of the tub are made of high quality stainless steel with interchangeable polarity. Massage procedure can be performed manually with use of a hose with 3 interchangeable nozzles (adjustable pressure range 0-5,5 bar) or with the optional automatic underwater massage jets system.

Technical features:

- electrodes for electrotherapy treatment made of high quality steel
- hose for underwater massage with 3 interchangeable nozzles
- 7" touch screen control panel:
  - automatic filling system
  - automatic set of required water level (two levels: 120 and 240 liters)
  - electronically controlled automatic filling and water drain
  - protection against water overflow
  - automatic switch off after time of treatment
  - pump “dry-working” protection
  - overload, failure and phase sequence change protection
- high-quality pump that provides sufficiently high water pressure during the treatment
- innovative no-spout filling system
- hand shower
- side hand rails
- leveling and heigh adjusting feet
- stair to assist in getting into the tub
- cleaning liquid (1l)





PARAMETERS:

Width: 950 mm

Length: 2200 mm

Height: 980 mm

400V, 50Hz
(option 60 hz)

Volume: 240 l

OPTION:	
Automatic underwater massage: 8 side jets	+
Automatic underwater massage: 4 side jets	+
Pearl bath system: 14x5 air jets	+
Chemical disinfection system	+
Aromatherapy system option	+
Electromagnetic water softener	+

T-UWM / E

Underwater massage & electrotherapy bathtub

Bathtub T-UWM / E is used for electrotherapy and underwater massage. The procedure can be performed manually using a hose with 3 interchangeable nozzles (a continuously adjustable pressure range 0-5,5 bar)or with the optional automatic massage jet system. Electrodes placed on the walls of the bath are made of high quality stainless steel. T-UWM / E generates galvanic, diadynamic and Faradic currents. The parameters are controlled with the touch screen control panel - operating time, current type, direction of current flow, the polarization of each applicator.

Technical features:

- 9 electrodes for electrotherapy treatment made from high quality stainless steel
- hose for underwater massage with 3 interchangeable nozzles
- 7' touch screen control panel:
  - automatic filling system
  - automatic set of required water level
  - protection against water overflow
  - automatic switch off after time of treatment
  - pump "dry-working" protection
  - overload, failure and phase sequence change protection
- half-automatic water drain
- high-quality pump that provides sufficiently high water pressure during the treatment
- hand shower
- head rest
- side hand rails
- leveling and heigh adjusting feet
- stair to assist in getting into the tub
- cleaning liquid (1l)





PARAMETERS:

Width: 900 mm

Length: 2300 mm

Height: 960 mm

400V, 50Hz
(option 60 hz)

Volume: 350 l

OPTION:	
Automatic underwater massage: 6 side jets	+
Automatic underwater massage: 3 spine jets	+
Pearl bath system - 14x5 jets (air massage)	+
Chemical disinfection system	+
Aromatherapy system	+
Electromagnetic water softener	+

T-UWM

Underwater massage tub

T-UWM is a bathtub for manual underwater massage with hose (with 3 interchangeable nozzles and adjustable pressure range 0-5,5 bar) or with the optional automatic massage system jets. The ergonomic shape and dimensions of the tub allow easy and convenient access to patient during treatments with the manual underwater massage hose.

Technical features:

- hose for underwater massage with 3 interchangeable nozzles
- half-automatic water drain
- high-quality pump that provides sufficiently high water pressure during the treatment
- hand shower
- head rest
- foot rest
- side hand rails
- leveling and heigh adjusting feet
- stair to assist in getting into the tub
- cleaning liquid (1l)



PARAMETERS:

Width: 960 mm

Length: 2300 mm

Height: 900 mm

400V, 50Hz (option 60 hz)

Volume: 350 l

OPTION:	
Automatic underwater massage: 6 side jets	+
Automatic underwater massage: 3 spine jets	+
Pearl bath system: 14x5 air jets (air massage)	+
Chemical disinfection system	+
Chromotherapy	+
3,5" touch central panel with: - Automatic filling system - Automatic set of required water level - Protection against water overflow - Automatic switch off after time of treatment - Pump "dry-working" protection - Overload, failure and phase sequence change protection	+
Electromagnetic water softener	+
Upgrade for therapy with use of mineral water	+

T-MP UWM AUTOMAT

Automatic underwater massage tub

This tub is designed to perform an automatic underwater massage treatment. It does not require constant presence of the therapist near the unit. Massage is performed using a system of 28 jets divided into 5 sections. Thanks to the electronic control panel, massage can be conducted in a certain direction simulating manual massage and the individual sections can be programmed independently.

Technical features:

- automatic underwater massage 28 jets (5 sections feet, ankles, knees, hips and spine)
- pearl bath system - 11x5 jets (air massage)
- 7" touch-screen control panel:
  - automatic filling system
  - automatic set of required water level
  - protection against water overflow
  - automatic switch off after time of treatment
  - pump "dry-working" protection
  - overload, failure and phase sequence change protection
- half-automatic water drain
- anatomic shaped bowl of the tub
- high-quality pump that provides sufficiently high water pressure during the treatment
- hand shower
- leveling and heigh adjusting feet
- cleaning liquid (1l)





PARAMETERS:

Width: 840 mm

Length: 2800 mm

Height: 740 mm

400V, 50Hz
(option 60 hz)

Volume: 250 l

OPTION:	
Underwater massage: 6 side jets	+
Underwater massage: 8 side jets	+
Pearl bath System with: 11 x 5 jets	+
Hose fo underwater massage with 3 interchangeable nozzles	+
Chemical disinfection system	+
Choromotherapy system	+
Aromatherapy system	+
Side and rails	+
Foot rest	+
Stair to assist in getting into the tub	+
Electromagnetic water softener	+

T-MP DISCOVERY

Medical bathtub

T-MP DISCOVERY tub is design for comfortable and ergonomic balneological treatments. There are four options, so everyone can choose the device which suits the best to the specific requirements. With the optional retrofitting, you can also expand the range of applications of the model. All medical bathtubs are made of impact resistant glass fiber reinforced plastic GRP, which ensures long term work without investment and reduces the risk of bath coating damage.

Technical features:

- water filling system
- hand shower
- half-automatic water drain
- leveling and heigh adjusting feet
- cleaning liquid (1l)



PARAMETERS:

Width: 950 mm

Length: 2200 mm

Height: 980 mm

230V, 50Hz (option 60 hz)

Volume: 240 l



SATURATOR CO_2

Saturator is designed to enrich the water used in medicinal baths of CO_2. Gas fed to the saturator is mixed at suffiecient pressure with water and then transformed to the bath-tub, where treatment is performed. Product fulfills both medical device and pressure equipment requirements.

OPTION:	
"S" - upgrade for salty and sulphide water	+
"B" - wide outflow for easier drainage of a mixture of mud and water	+
"K" - installation to connect CO2 mixer (saturator)	+
Automatic underwater massage: 8 side jets (not available with "B")	+
Automatic underwater massage: 6 spine jets (not available with "B")	+
Pearl bath system: 11x5 jets (air massage)	+
Aromatherapy system (available only with air or underwater massage by jets, not avilable with "B")	+
Hose for underwater massage with 3 interchangeable nozzles with pump (not available with "B")	+
3,5" touch control panel with: - Automatic filling - Automatic set of required water level - Protection against water overflow - Automatic switch off after time of treatment - Pump "dry-working" protection - Overload, failure and phase sequence change protection	+
Chemical disinfetcion system (suggested with jets system)	+
Aromatherapy system	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+
Stair to assist in getting into the tub	+

T-MP

Medical bathtub

T-MP is small and economic solution for balneological treatments. There are four options, so everyone can choose the device which suits the best to the specific requirements. With the optional retrofitting, you can also expand the range of applications of the model. All medical bathtubs are made of impact resistant glass fiber reinforced plastic GRP, which ensures long term work without investment and reduces the risk of bath coating damage.

Technical features:

- water filling system
- hand shower
- half-automatic water drain
- leveling and heigh adjusting feet
- cleaning liquid (1l)



PARAMETERS:

Width: 840 mm

Length: 1980 mm

Height: 1980 mm

230V, 50Hz (option 60 hz) (only for pearl bath and control panel)

Volume: 240 l

OPTION:	
"S" - upgrade for salty and sulphide water	+
"B" - wide outflow for easier drainage of a mixture of mud and water	+
"K" - installation to connect CO2 mixer (saturator)	+
Pearl bath system: 11x5 jets and aromatherapy system (not available with "B")	+
3,5" touch control panel with: - Automatic filling system - Automatic set of required water level - Protection against water overflow - Automatic switch off after time of treatment - Pump "dry-working" protection - Overload, failure and phase sequence change protection - Stair to assist in getting into the tub - Electromagnetic water softener - Aromatherapy - Foot rest	+



SATURATOR CO_2

Saturator is designed to enrich the water used in medicinal baths of CO_2. Gas fed to the saturator is mixed at suffiecient pressure with water and then transformed to the bath-tub, where treatment is performed.

T-MOT

Hubbard tank - „butterfly" tub

Hubbard tank called also "butterfly tub" has been used for many years to allow patients requiring special care and individual attention from therapist to exercise in the water environment, under the strict supervision of a therapist. Large size of the tub allows free movements to the patient. Made of glass fiber reinforced (GFK) plastic, what ensures years of trouble-free operation and reduces the risk of damage of the tub. Hubbard's tank may be equipped with, system for underwater massage (T-MOT UWM).

Technical features:

- water filling system
- 8 handles inside the tub for safety and patient comfort
- head support
- hand shower
- leveling and heigh adjusting feet
- stair to assist in getting into the tub
- big diameter outflow for fast water drainage
- cleaning liquid (1l)



OPTION:	
Hose for underwater massage with 3 interchangeable nozzles (with pump) adjusted manually with valve	+
Pearl bath system (air massage)	+
Jets for automatic underwater massage (6 jets)	+
Chemical disinfection system (available only with jets)	+
Temperature maintaining and water recycling system	+
3,5" touch screen control panel" - automatic filling system - automatic set of required water level - protection against water overflow - automatic switch off after time of treatment - pump "dry-working" protection - overload, failure and phase change protection	+



PARAMETERS:



Width: 2000 mm

Length: 2450 mm

Height:900 mm

230V, 50Hz
(option 60 hz)
(for pearl bath and underwater massage options)

Volume: 1100 l

CASTILLO

Automatic underwater massage tub

CASTILLO whirpool is designed for massage of hands, forearms and elbows. Jets with adjustable water outflow allow to conduct a treatment of the upper limb. Pearl massage enhances the functionality of the bath and optional retrofit allows you to customize a bath to meet your requirements. The design provides easy access for patients in wheelchairs

Technical features:

- underwater massage system with adjustable outflow of water stream (10 jets)
- passive pearl massage with intensity adjustment
- innovative no-spout water filling system
- half-automatic water drain
- hand shower
- leveling and heigh adjusting feet
- modern, ergonomical design
- whirlpool chair with height regulation
- cleaning liquid (1l)





OPTION:	
Chemical disinfection system	+
3,5" touch screen control panel: - automatic filling system - automatic set of required water level - protection against water overflow - automatic switch off after time of treatment - pump "dry-working" protection - overload failure and phase sequence change protection	+
Thermomixer valve	+
Lymphatic drainage ring	+
Upgrade for therapy with use of mineral water	+
Elecetromagnetic water softener	+

PARAMETERS:

Width: 2000 mm

Length: 2450 mm

Height:900 mm

230V, 50Hz
(option 60 hz)

Volume: 1100 l



1114

Upper extremity whirlpool

Whirlpool 1114 is designed for massage of the hands, forearms and elbows. Jets with adjustable directions of water outflow allow to conduct a thorough treatment of the upper limbs. Pearl massage enhances the functionality of the bathtub and optional retrofit allows you to customize a bath to meet your requirements. The design provides easy access for wheelchair patients.

Technical features:

- underwater massage system with adjustable outflow of water stream (4 jets)
- passive pearl massage with intensity adjustment
- half-automatic water drain
- hand shower
- leveling and heigh adjusting feet
- small dimensions
- whirlpool chair with height regulation
- cleaning liquid (1l)



OPTION:	
Chemical disinfection system	+
3,5" touch screen control panel: - automatic filling system - automatic set of required water level - protection against water overflow - automatic switch off after time of treatment - pump "dry-working" protection - overload, failure and phase sequence change protection	+
Thermomixer valve	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+





PARAMETERS:

Width: 790 mm

Length: 770 mm

Height: 930 mm

230V, 50Hz
(option 60 hz)

Volume: 20 l

1115

Lower extremities & lumbar spine whirlpool tub

Whirlpool tubs 1115 is designed for treatment of lower limbs and lumbar spine in sitting position. The treatment is carried out by 12 underwater jets with adjustable working direction, divided into three separate sections. Two levels of filling the bathtub provide significant water saving.

Technical features:

- underwater massage system with adjustable outflow of water stream (manual selection of 12 jets, operated in 3 sections)
- innovative no-spout water filling system
- hand shower
- leveling and heigh adjusting feet
- modern, ergonomical design
- stair to assist in getting into the tub



OPTION:	
Chemical disinfection system	+
3,5" touch screen control panel: - automatic filling system - automatic set of required water level - protection against water overflow - automatic switch off after time of treatment - pump "dry-working" protection - overload, failure and phase sequence change protection	+
Thermomixer valve	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+



PARAMETERS:



Width: 720 mm

Length: 1440 mm

Height: 980 mm

230V, 50Hz
(option 60 hz)

Volume: 210 l

KOLUMB

Lower extremities & lumbar spine whirlpool tub

Whirlpool KOLUMB is designed for lower limb and lumbar spine treatment in sitting position. Massage is performed by 14 jets with adjustable water flow direction, divided into three separate sections.

Technical features:

- underwater massage system with adjustable outflow of water stream (manual selection of 14 jets, operated in 3 sections)
- 7' touch control panel:
  - automatic filling and drainage system
  - automatic set of required water level
  - protection against water overflow
  - automatic switch off after time of treatment
  - pump "dry-working" protection
  - overload, failure and phase sequence change protection
- innovative no-spout water filling system
- half-automatic water drain
- hand shower
- leveling and heigh adjusting feet
- modern, ergonomical design
- stair to assist in getting into the tub
- cleaning liquid (1l)





OPTION:	
Pearl massage (air) with intensity adjustment (11x5 jets)	+
Chemical disinfection system	+
Chromotherapy system	+
Aromatherapy system	+
Thermomixer valve	+
System of keeping temperature / heating up water in the tub	+
Anal jet (1pcs)	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+



PARAMETERS:

Width: 870 mm

Length: 1070 mm

Height: 1070 mm

230V, 50Hz
(option 60 hz)

Volume: 210 l

PIZZARO

Lower extremity whirlpool

Whirlpool PIZARRO is designed for treatment of lower extremities (feet and ankles). System of jets with adjustable water outflow allow to adjust treatment parameters to the specific case. The design of the bowl allows patient comfortably put his feet in the tub.

Technical features:

- underwater massage system with adjustable outflow of water stream (6 jets)
- passive pearl massage with intensity adjustment
- innovative no-spout water filling system
- half-automatic water drain
- hand shower
- leveling and heigh adjusting feet
- modern, ergonomical design
- whirlpool chair with height regulation
- cleaning liquid (1l)



OPTION:	
Chemical disinfection system	+
3,5" touch screen control panel: - automatic filling system - automatic set of reuiqred water level - protection against water overflow - automatic switch off after time of treatment - pump "dry-working" protection - overload, failure and phase sequence change protection	+
Thermomixer valve	+
Upgrade for therapy with use of mineral water	+
Electromagnetic water softener	+



PARAMETERS:

Width: 880 mm

Length: 890 mm

Height: 750 mm

230V, 50Hz
(option 60 hz)

Volume: 57 l



1117

Lower & upper extremity whirpool

Whirlpool baths series 1117 is designed to provide the treatment for lower and upper extremities. The purchase of such device increases the attractiveness of the facility without investing in the two devices at once. This whirlpools are equipped with a system of 4 jets with adjustable direction of water outflow. With two filling levels it is possible to reduce water consumption.

Technical features:

- underwater massage system with adjustable outflow of water stream (4 jets)
- innovative no-spout water filling system
- half-automatic water drain
- hand shower
- leveling and heigh adjusting feet
- whirlpool chair with height regulation
- cleaning liquid (1l)



OPTION:	
Chemical disinfection system	+
3,5" touch screen control panel: - automatic filling system - automatic set of required water level - protection against waer overflow - automatic swotch off after time of treatment - pump "dry-working" protection - overload, failure and phase sequence change protection	+
Thermomixer valve	+
Electromagnetic water softener	+



PARAMETERS:

Width: 580 mm

Length: 1080 mm

Height: 780 mm

230V, 50Hz
(option 60 hz)

Volume: 135 l

TASMAN

Four-cell tub for therapy in water

TASMAN is 4-chamber tub which offers a multi-faceted approach to treatment, combining the benefits of hydrotherapy combined with other stimuli to promote healing and improving overall well-being. All treatments can be performed in each chamber independently or in a combined manner. It is possible to equip this 4-cell tub with electrotherapy and alternating temperature therapy option.

Technical features:

- capacity: lower chamber 25 liters, upper chamber: 15 liters
- thermostatic valve
- hand shower
- leveling and heigh adjusting feet
- whirlpool chair with height regulation
- cleaning liquid (1l)



PARAMETERS:

230V, 50Hz
(option 60 hz)

Volume: 40 l

Width: 1050 mm

Length: 1240 mm

Height: 1000 mm

OPTION:			
THERAPY IN MINERAL WATER **S**	ALTERNATING TEMPERATURE **N**	ELECTROTHERAPY **E**	ELECTROTHERAPY AND ALTERNATING TEMPERATURE **EN**
	3,5' touch screen control panel: - setting time of hot and cold water treatment cycles- automatic switch off after time of treatment- pump "dry-working" protection - overload, failure and phase sequence change protection	7' touch screen control panel- number of working chambers- choice of type of current- setting of electrodes polarizati on and type of treatment- creating therapy programs- automatic switch off after time of treatment- pump "dry-working"protection- overload, failure and phase sequence change protection	7' touch screen control panel: - number of working chambers- choice of type of current- setting of electrodes polarization and type of treatment- setting total number of cycles, time of cycles of hot water and cold water treatment - automatic switch off after time of treatment- creating therapy programs- pump "dry-working" protection- overload, failure and phase sequence change protection
		8 stainless steel electrodes with independent polarity	8 stainless steel electrodes with independent polarity
drain plugs and anti-overflow protection		drain plugs and anti-overflow protection	drain plugs and anti -overflow protection
	chamber covers against water splashing		chamber covers against water splashing
2 valves for mineral water			
installation and fittings resistant to mineral water			
		OPTION: external electrode for electrotherapy (1pc)	**OPTION:** external electrode for electrotherapy (1pc)

CORDOBA

Alternating shower (Scotch douche)

CORDOBA is a modern device equipped with two thermostatic mixing valves, for a quick and easy way to set the temperature of the water which is delivered to each applicator (gun) separately. If water installation do not meet the technical requirements and does not allow for the proper operation of the device, we suggest to order optional pump to equalize pressure of water in the system.

Technical features:

- high performance shower (1m³ = 35 minutes with the pressure in the system of 2 atmospheres)
- 2 x thermomixers to set the temperature in each applicator individually
- 2 x applicators (adjustable guns) to perform the treatment with cold and hot water
- 2 x manometers to present pressure of treatment
- homogeneous application of water jet
- therapist's forearm support
- leveling and heigh adjusting feet
- cleaning liquid (1l)







PARAMETERS:

Width: 720 mm

Length: 1100 mm

Height: 1000 mm

230V, 50Hz
(option 60 hz)
(only version with optional pump)

Weight: 40 kg

OPTION:	
Pump for water pressure equalization	+

T-ALTER

Alternating shower (Scotch douche)

Scottish shower T-ALTER series is a device with powerful settings. It is equipped with thermostatic mixer valve, which allows precise regulation of water temperature. Dedicated lever allows to quickly change the temperature of water stream (cold-heat, hot-cold). On the desktop, there are 3 hoses which allow to apply a stream of with different level of pressure (rain / fall / whiplash). If water installation do not meet the technical requirements and does not allow for the proper operation of the device, we suggest to order optional pump to equalize pressure of water in the system.

Technical features:

- high performance shower (1m³ = 35 minutes with the pressure in the system of 2 atmospheres)
- 2 x thermomixers to set the temperature in each applicator individually
- 2 x applicators (adjustable guns) to perform the treatment with cold and hot water
- 2 x manometers to present pressure of treatment
- homogeneous application of water jet
- therapist's forearm support
- leveling and heigh adjusting feet
- cleaning liquid (1l)



PARAMETERS:

Width: 680 mm

Length: 410 mm

Height: 810 mm

230V, 50Hz
(option 60 hz)
(only version with optional pump)

Weight: 40 kg

OPTION:	
Pump for water pressure equalization	+

T-AGRE

Underwater massage unit

Underwater Massage Unit is designed for classic underwater massage in swimming pools and other water environment. It offers a versatile and effective treatment for various health benefits through deep tissue massage. The unit allows to adjust water pressure, ensuring a customized massage experience tailored to individual patient needs. The interchangeable nozzles provide different types of water stream, targeting specific areas of the body for focused therapeutic effects.

Technical features:

- hose to perform underwater massage with 3 interchangeable nozzles
- pressure adjustment valve to control stream of flowing water
- manometer indicating therapy pressure
- pipe sucking water from a water source
- castor system
- effective 3-phase pump 400V (pressure 4 bar)



PARAMETERS:

Width: 680 mm

Length: 410 mm

Height: 810 mm

230V, 50Hz
(option 60 hz)

Weight: 40 kg

T-NP

Circular shower

Circular Shower, also known as the Ring Shower, is a hydrotherapy unit designed to deliver a full-body water massage experience. Circular design ensures that water jets reach all parts of the body, delivering a uniform and thorough massage. It features an array of strategically placed jets that surround the user, providing a comprehensive and invigorating treatment. Ideal treatment for enhancing circulation, reducing muscle tension, relieving stress, and promoting overall relaxation and well-being. It is particularly beneficial for patients with musculoskeletal issues, sports injuries, and chronic pain.

Technical features:

- durable circular construction for water treatment
- thermomixer (for individual assembling in a water installation)
- leveling and heigh adjusting feet



OPTION:	
External control unit (E) with 2 thermomixers and 3,5" touch screen control panel for setting treatment parameters	+
- Time of cold / warm water cycles	+
- Automatic switch off after treatment time	+
- Length: 410 mm Width: 680 mm Height: 2260mm	+
Power supply: 230V / 50 Hz (option 60 Hz)	+

PARAMETERS:

Height: 2260 mm

Width: 970 mm

Length: 970 mm

ACCESSORIES



KRYSTALIT
Liquid which ensure cleaning and descaling of the tubs and whirlpools.



CHAIR
Easy approach to whirlpools (high regulation, rotating seat).



STAIRS WITH HANDRAIL
Optional accessory for tubs. Especially for disable and elderly patients.



STAIRS
Enable the access of the patient to the high tubs.

STANDARD COLORS



5005 RAL
Signal Blue



5012 RAL
Light Blue



6027 RAL
Light Green



6018 RAL
Yellow Green



6002 RAL
Leaf Green



9003 RAL
White

9001 RAL
Cream



4001 RAL
Rose



2004 RAL
Pure Orange

***If it is not specified in the order, the bathtub will be manufactured in default colors:**

- **5012 RAL** light blue - inside
- **9003 RAL** white - outside







How to order easily



European markets

Kamilla Modzelewska
Vice President

km@meden.com.pl
+48 602 668 002



North/South America, Africa, Ireland, GB

Tomasz Górecki
Key Account Manager

tgorecki@meden.com.pl
+48 601 646 866



France, French-speaking Africa

Renata Bryła
International Sales Manager

rbryla@meden.com.pl
+48 573 893 795



Australia, Asia and Middle East, Egypt, Slovakia, Czech Republic

Mariusz Rubik
Key Account Specialist & Training Consultant

mrubik@meden.com.pl
+48 690 266 543



CIS region, Ukraine, Georgia, Lithuania, Latvia, Estonia

Oksana Ardan
Key Account Specialist

oardan@meden.com.pl
+48 607 566 302



Mateusz Baranowski
Training Consultant

mbaranowski@meden.com.pl
+48 663 152 888



Aleksander Kotulecki
International Business Development Manager

akotulecki@meden.com.pl
+48 694 484 407



Diego Morales
International Business Development Specialist

dmorales@meden.com.pl
+48 506 547 150

MEDEN INMED
PROFESSIONAL MEDICAL ENGINEERING

Meden-Inmed
2 Wenedów Street, 75-847 Koszalin, Poland

Phone: +48 94 344 90 50, +48 94 347 10 40
Fax: +48 94 347 10 41

international@meden.com.pl

technomex.eu
en.meden.com.pl

We deliver our equipment to more than 100 countries around the world:



Follow us:

Management System EN ISO 13485:2016 +AC:2018+A11:2021
TÜVRheinland CERTIFIED
www.tuv.com ID 0000073249

2026-07-31 / Ver. 1